

Instructions:

www.garyklinka.com

1. Print these pages.
2. Circle the correct answers.
3. Page down to the last page for the verification forms and mailing instructions.

Plmbtest20

2 hours

[SPS 384 link](#)

- 1) Lavatory faucets that are of the metering type shall allow a maximum of ____ U.S. gallon per metering cycle at an 80 psig flowing supply pressure..
 - a) 1.1
 - b) 1.6
 - c) 0.25
 - d) 3
- 2) The maximum discharge rate of shower heads shall be 2.5 U.S. gallons per minute at an ____ psig flowing supply pressure.
 - a) 60
 - b) 70
 - c) 80
 - d) 40
- 3) Urinals shall function properly with a maximum of ____ U.S. gallons per flush per fixture use at static test pressures of 20 psig and 80 psig.
 - a) 1
 - b) 1.5
 - c) 1.1
 - d) 1.6
- 4) Cross connection control device for a hose connected vacuum breaker shall complying with which referenced standard?
 - a) 1014
 - b) 1020
 - c) 1011
 - d) 1015
- 5) Cross connection control device for a pressure vacuum breaker shall complying with which referenced standard?
 - a) 1014
 - b) 1101
 - c) 1020
 - d) 1015
- 6) Wall mounted fixtures shall be rigidly supported by a hanger which is attached to structural members so that the load is not transmitted to the fixture _____ connection or any other part of the plumbing system.
 - a) trap
 - b) drain
 - c) flange
 - d) a, b, & c
- 7) The hanger for a wall mounted water closet shall conform to ASME_____.

- a) ASME A112.6.1M
 - b) ASTM A112.6.1M
 - c) ASNI A112.6.1M
 - d) ASSE A112.6.1M
- 8) The floor of all site-constructed shower stalls and shower rooms shall be protected with a safing material installed beneath the finished floor of the entire enclosure or room and upward along the sides to a minimum of ___ inches above the curb or maximum water level of the room or enclosure.
- a) 4
 - b) 5
 - c) 3
 - d) none of the above
- 9) The corners of the enclosure or room shall be safed to a height of 6 feet and at least ___ inches in each direction from the corners.
- a) 4
 - b) 5
 - c) 6
 - d) none of the above
- 10) All floor drains or other similar fixtures shall be installed with a safing material extending a minimum of ___ inches from the fixture.
- a) 8
 - b) 5
 - c) 6
 - d) None of the above
- 11) Plastic bathtubs shall conform to_____.
- a) ANSI Z124.1
 - b) ASME A112.19.1M.
 - c) ASME A112.19.4.
 - d) None of the above
- 12) A _____may not be located closer than 15 inches from its center to any side wall, partition, vanity or other obstruction.
- a) drinking fountain
 - b) bidet
 - c) lavatory
 - d) sink
- 13) Drinking fountains may not be installed in toilet rooms.
- a) true
 - b) false
- 14) Where a waste outlet serves more than one shower space or shower head, the waste outlet shall be at least ___ inches in diameter and the waste outlet shall be so located and the floor so pitched that waste water from one shower does not flow over the floor area serving another shower.
- a) 1 1/2
 - b) 1 1/4
 - c) 2
 - d) 3
- 15) Automatic siphon urinal flush tanks may not be installed.
- a) true

- b) false
- 16) All pressurized water heaters and pressurized hot water storage tanks shall be rated for a minimum working pressure of ____ psig.
- 120
 - 125
 - 130
 - 90
- 17) Pressure relief valves shall be set to open at either the maximum allowable working pressure rating of the water heater or storage tank or ____ psig, whichever is smaller.
- 125
 - 135
 - 140
 - 150
- 18) A water heaters temperature and pressure relief valves shall be set to open at a maximum of ____° F
- 195
 - 205
 - 210
 - 215
- 19) Hand-held showers shall conform to ASSE _____.
- 1012
 - 1011
 - 1014
 - 1015
- 20) All fixture supply connectors installed on a cold water supply serving fixtures, appliances and devices that provide <1.0 gpm at each outlet shall be designed and constructed to withstand a minimum pressure of _____ psig at 73.4°F.
- 90
 - 100
 - 125
 - 150

To obtain your Continuing Education Credits follow the below instructions.

- Print out first.
- The state allows a person to take the same course more than once (several times) per cycle.
- If taking the same quiz more than once per cycle, fill out the forms with different dates.
- Fill in all fields applicable.
- Include your certification or license number.
- We'll take care of crediting with the state and mailing back to you the quiz results.

Send by mail

- Test & answer sheets.
- Fill out this form below completely.
- Applicable fees by check payable to Gary Klinka.
- Mail to: Gary Klinka at 228 Mandella Ct Neenah WI 54956.
- Questions call: 920-727-9200 office and fax or 920-740-6723 cell garyklinka@hotmail.com

-----Educational Course Attendance Verification Form -----

Attendee's Name _____ Date _____

Address _____

Credential Number _____ Phone# _____

Course Title and Name _____ Testplmb20 _____

List the name of each credential held by attendee _____

_____ Credited Hours _____ 2 hrs _____

Email address _____ Fax# _____

To be completed by Gary Klinka www.garyklinka.com My credential link [#70172](#)

Course Password _____ Course ID# _____ 6917 _____

Attendee passed the course with a greater than 70% score on Date _____

Instructor Signature _____